


Figure 1



Total protein (% of solvent control (% of so





Figure 2




S1 = 2-(1H-Imidazole-4-yl)-1H-perimidine

S2 = 1- Ethyl-1H-perimidine

S3 = 2-Pyridine-3-yl-1H-perimidine

S4 = 2-p-Tolyl-1H-perimidine

Figure 3




S1 = 1,2-Dimethyl-1H-perimidine S2 = 4-(1H-Perimidine-2-yl)-benzonitrile

S3 = 1H,3H-Perimidine-2-thione

S4 = 3-(1H-Perimidine-2-yl)-phenylamine

Figure 4




Substance concentration (µM)

Example:


Substance: 3-(1H-Perimidine-2-yl)-phenylamine


Figure 5



Substance: (1-Methyl-1H-perimidine-2-yl)-methanol

Figure 6






Solvent (DMSO)

Substance: 2-Pyridine-4-yl-2,3, dihydro-1H-perimidine

Figure 7

Aggregates/Protein (% of solvent control)



Substance concentration


Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: 8-Fluoro-1,2-dimethyl-4,5-dihydro-pyrrolo[3,2,1-ij]quinoline-6-one

Figure 8

Aggregates/ Protein (% of solvent control)



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of


the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: 8-Fluoro-1,2-dimethyl-4,5-dihydro-pyrrolo[3,2,1-ij]quinoline-6-one


Figure 9

Aggregates (% of solvent control)



Example: 2-Furan-2-yl-2,3,4,9-tetrahydro-1H-indenol[2,3-c]pyridine-3-carboxylic acid methyl ester

Figure 10



Ordinate: Aggregates/Protein (% of solvent control)

Abscissa: Substance concentration (µM)

Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of

the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substances:

S1 = 3H-Phenoxazine

S2 = Phenoxazine-3-one


S3 = 7-Amino-1,9-dimethyl-phenoxazine-3-one

S4 = Beta-amino-orcein

S5 = Alpha-amino-orcein

S6 = Alpha-hydroxy-orcein


Aggregates/Protein (% of solvent control)



Substance concentration (µM)


Substance: 1,9-Dimethyl-phenoxazine-3-one

Figure 12




Substance: 7-Hydroxy-1,9-dimethyl-phenoxazine-3-one

Figure 13



Substance: Alpha-amino-orcein

Figure 14



Substance: Beta-hydroxy-orcein

Figure 15

Substance concentration/ μM

6.25

205


100

+ Amyloid-ß

- Amyloid-ß

Example: Alpha-amino-orcein


Figure 16



Example: Alpha-amino-orcein

Figure 17






Substance concentration

Substance: Dihydroxyanthraquinone (Danthron)

Figure 18


Aggregates (% of solvent control)



Substance: Chrysarobin

Figure 19

Ordinate: Aggregates/Protein (% of solvent control)




Blue Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

Substance: Thiophene-2-yl-acetic acid 4-(4-acetyl-piperazine-1-yl)-phenyl ester

Figure 20


Aggregates/Protein (% of solvent control)




Substance concentration (µM)

Substance: 5-[4-(Thiazole-2-ylcarbamoyl)-phenyl]-furan-2-carboxylic acid thiazole-2-ylamide

Figure 22






Substance: Thiophene-2-yl-acetic acid 4-(4-acetyl-piperazine-1-yl)-phenyl ester

Figure 21

Aggregates/Protein (% of solvent control)



Substance concentration (µM)

Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)


Pink: Amount of SDS-insoluble protein aggregates

Substance: 4-Methyl-2-[3-(3-phenyl-[1,2,4]thiadiazole-5-yl)-ureido]-pentanoic acid ethyl

ester


Figure 23

Aggregates/Protein (% of solvent control)



Substance: 4-Methyl-2-(3-phenyl-[1,2,4]thiadiazole-5-yl)-pentanoic acid ethyl ester

Figure 24



Substance abbreviations:

EGCG: Epigallocatechin gallate GCG: Gallocatechin gallate GC: Gallocatechin

EGC: Epigallocatechin

Figure 25













Substance abbreviations: EGCG: Epigallocatechin gallate GCG: Gallocatechin gallate GC: Gallocatechin EGC: Epigallocatechin

Figure 26




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)
Pink: Amount of SDS-insoluble protein aggregates
S1 = 2-Amino-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 27



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates
S2 = 2-(3-Dimethylamino-propylamino)-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile


Figure 28



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates


S3 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(3-dimethylamino-propyl)-formamide

Figure 29



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)
Pink: Amount of SDS-insoluble protein aggregates
S4 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-acetamide


Figure 30



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates

S5 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(2-dimethylamino-ethyl)-formamide

Figure 31




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S6 = N-(8-Cyano-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-2-yl)-N-(2-dimethylamino-ethyl)-acetamide


Figure 32



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates

S7 = 7-Oxo-2-(2-piperidine-1-yl-ethylamino)-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 33




Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance)

Pink: Amount of SDS-insoluble protein aggregates

S8 = 2-[4-(3-Hydroxy-propyl)-piperazine-1-yl]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile


Figure 34



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates
S9 = 2-[Benzyl-(2-dimethylamino-ethyl)-amin

= 2-[Benzyl-(2-dimethylamino-ethyl)-amino]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 35



Blue: Protein concentration in the cell lysate (as a measure of cell growth in the presence of the substance) Pink: Amount of SDS-insoluble protein aggregates

S10 = 2-[(2-Diethylamino-ethyl)-ethyl-amino]-7-oxo-6,7-dihydro-thiazolo[4,5-f]quinoline-8-carbonitrile

Figure 36

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.